App. F. IX-4

Previous References.

1945-46 (4)

File No. 20-45

Serial Nos. 1, 2, 3, 4, 5

Later References.

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Five

PRESERVED

Part B for March 1946

SUBJECT

Revision of pay of the laboratory clerk of Thippagondanahalli water works

P.W. 6242-44

22.3.46

To

The Chief Engineer for Irrigation
The Director of Public Health
The Comptroller of Mysore
(thro' F.S.)

Sanction is proposed to revise the scale of pay of the laboratory clerk of the water work from Rs 30-3-45 to Rs 50-4-70 from 7.3.46

Serial No.

Revision of the grade pay of the Laboratory Assistant at Thippagondanahalli Water Works. Letter No. 6263 dt 5.10.1942 from the Chief Engineer of Mysore

Mr. A. B. Thiruvengadam was entertained as a temply clerk on Rs 30/- in the Water Supply on 1st July 1932. As he is an under-graduate (with Physics and Mathematics as optionals) he was selected for the Analytical work at Thippagondanahalli Water Works and given a special course of study in the Bacteriological Laboratory. He was then posted as Laboratory Clerk to Thippagondanahalli and given an increment of Rs 3/-, viz., from Rs 30 to Rs 33, from 5-2-1935, his promotion to the grade of Rs 30-3-45 having been treated as outside the cadre and without prejudice to the relative rank of his seniors. He is now drawing a pay of Rs 45 from 5-2-1939.

2. The Chief Engineer states that the Official has been discharging the

Note.—Contn. sheet.

WT 61094—GPB—23,000—22-2-41

duties of "Water Analyst" in independent charge of the Laboratory at Thippagondanahalli and his work is of a purely technical nature involving much responsibility. Considering the responsible and onerous nature of the work, the Chief Engineer requests Sanction to (1) change the designation to "Water Analyst" and to revise the grade pay from Rs 30-3-45 to Rs 50-4-70.

3. This proposal requires financial concurrence and Sanction of Govt. The cost is debitable to the Thippagondanahalli (Changing Sagar & Water Works (New) Hale Water Works.

4 It appears to be a mistake to have included this post in the clerical establishment of the Dept. The post should be styled as "Water Analyst" as recommended by the Chief Engr. It is a very responsible post as on the analysis done by the Analyst at Thippagondanahalli the health of the City and Cantonment depends. Mr Sivaramagadam, the present incumbent is a part graduate and has undergone special training in water analysis and the laboratory work. He has been doing very good work and fully deserves to be given a special grade of Rs 50-4-70 which is a modest one for the very responsible work that he has been doing.

5 What is the sanctioned scale for Thippagondanahalli? When this temporary clerk on Rs 30/- was given the grade of 30-3-45, how many clerks did he not supersede? Please examine a little more & note

2718
PW

Serial No.

6. Sc. A.B. Thimmegadom was given the grade pay of Rs 30-3-45 from 5.2.34, the date on which he joined duty at Thuppaipondanahalli water works. At the time he was given this grade, there were about 65 clerks on Rs 30/- seniors to him and the promotion was given to him without prejudice to the rank of seniors. The sanctioned scale of pay for Laboratory clerk at Thuppaipondanahalli is Rs 30-3-45.

7. Please get his service register also.

30/10/42

Submitted with a draft

31/10/42

Issued in No. P.W. 3291 dated 2/11/42

8. Submitted with the Service Register of the Official since received from the Chief Engr

9. Submit a statement showing the sanctioned scale for T. Halli works

15/12/42

10. The statement giving the particulars required is flagged O. (Reverse)

CE 2/143

NOTE—Contn. Sheet.

WD 04155—GPB—55,000—23-10-41

Serial No.

11: The Sanctioned Scale of establishment for the Thiddagondanahalli Office consists of 3 Clerks on Rs 30-3-45, one Laboratory Clerk on Rs 30-3-45 & 3 Peons on Rs 12 each. The Dinabandhu Andhra has given the grade pay of Rs 30-5-45 from 5-2-1934 superseding 6th Clerk on Rs 30. The Chief Engineer's recommendation to put him in a special grade of Rs 50-4-70 in view of his special qualification and the responsible work in which he has been engaged deserves consideration

15. 6351

Secretary) 28/1/43

Dewan

30/1/43

Thro H. Secy

FINANCIAL U.O.No. F. 343 7 1

12: The proposal is not acceptable as such recommendations are directed to be negatived for the for the duration of the War. (Order No. Fl. 6116-64/G.F. 268-41-1 dated 6th April 1942).

Besides, the official has had a good start and that cannot be considered inadequate seeing that he has no technical qualifications as such.

12.2.43

13. The clerk has undergone training and he is doing specialised work deserving consideration.

Dewan) 13/2/43

Public Works Secretariat. | File No. | of 194 .

Serial No. 14.

6351

Considering the nature of his work & the fact that he is employed in an out of the way place he may be given a P.A. of Rs 5 pm in the present

NLL
16/2/43

8637

Fin Secy) 19/2/43

Rules with a draft by

Secy) 27/2/43 agree 4/3/43

26/2/43

Financial sanction to a grant of Rupees three

Secy.

27/2/43

3.3

3/3

Issued

Communicate

5/3/43

Issued in No. P.W. 6187-88 dated 7/3/43

Note.—Contn. sheet.

WT 01034—GPB—20,000—22-2-41

Letter No. 6936 dt 25/4/1945 from the Chief Engineer for Irrigation, Submitting the application of Mr. A.B. Thiruvengadam, clerk, for promotion.

15. The Chief Engineer reports that this Official, (Mr A.B. Thiruvengadam) though designated as Laboratory clerk, is discharging the duties of a water Analyst independently from 1934 at Thippagondanahalli and has undergone the Special training as Bacteriological Analyst. If a new hand is to be appointed, it may not be possible to retain on a pay less than Rs 100. He is strongly recommended by the Successive Ex Engineer and the Chief Engineer therefore requests Sanction to designate him as "Water Analyst" and to raise his pay from Rs 45+5 PA (Rs 30-3-45) to Rs 50-4-70, as a Special Case.

The proposal requires financial concurrence and Sanction of Govt.

21/5 US 16. The Official has undergone training and qualified himself for the Special work of analysing water. The proposal to promote him to the grade 50-4-70 was sent about 2 years ago when it was decided that for the present he may be given an allce of Rs 5/- two days in a month elapsed and as the allce for a water analyst may cost about Rs 100/- pm, the proposal to give the Official a grade of 50-4-70 deserves consideration

17. Is water analysis necessary at the Reservoir site? If yes, why is it not a regular part of an analyst recruited for work? Why is a clerk required to do the work? Ask C.E.

KW 23/5/45.

6 Govt 5/45

Mr. A. B. Tiruvengadam - Laboratory Clerk at Nilgiragondanakally.

178(4)

Public Works Secretariat. | File No. | of 194 .

Serial No.

Sent with a Draft letter for approval

24/5/45

Issued in No. P.W. 6753 dated 29-5-1945.

Letter No. 178/E dated 10-7-1945 from the Chief Engineer for Irrigation forwarding a report on the necessity of a Water Analyst at Nilgiragondanakalli

18. Sent with reference to para 17 of the notes.

19. It is reported that a Water Analyst is necessary at the Reservoir site and that Mr. A. B. Tiruvengadam, the present Laboratory Clerk is fully qualified for the post. He has undergone the training in the Bacteriological Institute at Bangalore.

12/7/45

20.

14/7

21. The C.E.I. may be requested to put up proposals for the post of a water analyst since there is no such sanctioned post at present. The question of giving promotion to Mr. Tiruvengadam may be dealt with later, if the post is sanctioned.

14/7/45

22. Sent with a Draft.

WT 01094—GPB—20,000—22-2-41

23

Note.—Contn. sheet.

16/7/45

24 Issued in No. P.W. 7337/[illegible] a

Water Analyst for Vizhyagrandamahalli Water Works.

1735

Letter No 2339/E dated 19-10-1945 from the Chief Engineer for Irrigation, forwarding proposals for the creation of a post of Water Analyst on Rs 60-5-100 at Vizhyagrandamahalli.

25. Submitted with reference to para 21.

26. It is reported that researches have to be made at Vizhyagrandamahalli to obtain the best methods of sedimentation and filtration and the behaviour of the lake observed in regard to the bacterial index in the various seasons of the year and at varying depths. For this purpose a Water Analyst at Vizhyagrandamahalli is stated to be necessary. The Chief Engineer, therefore, requests sanction to the creation of a post of Water Analyst on Rs 60-5-100. At present the Laboratory Clerk on Rs 30-2-45 with an allowance of Rs 5/- is attending to this work. The extra cost involved thereby will only be Rs 33 3/4 per month or Rs 405/- per annum.

27. The proposal requires financial concurrence. The cost is debitable to the Annual Works.

21/10/45

28. In July 1945, the Chief Engineer proposed the conversion of the post into a Water Analyst with a grade pay of Rs 50-4-70, but now he has recommended a pay of Rs 60-5-100.

Secs 27/11/45 27. For keeping a close watch on the quality of water supplied to premier towns, it is necessary to have a Competent Staff whose duty should be to analyse water and to study the behaviour of water at different seasons. The analyst should be

Water Analysis for Nilgiri water supply
1735

File No.

Continuation Sheet. Current No. of Page

a responsible and experienced person and the grade pay proposed viz. 60-5-100 is not much. The proposals made by the Chief engineer may therefore be sanctioned

Secy) 8/11

30 Ask C.E.P. to ~~ascertain from~~ inform if the water analysis is not being done at the B'lore Lab. under the D.P.H. and, if not, whether it would not be more desirable to do so as the Lab. has a full equipment + expert technical advice, particularly on the bacteriological side.

KW 9.11.45

31. Subd with a draft letter to C.E.P.

Secy 10/11/45 9/11/45

32. Issue KW 10.11.45

Issued in No. PW. 3712/Ex-20-45-3 dt. 15.11.45.

Letter No. 3747/E dated 18-12-1945 from the Chief Engineer for Nilgiris furnishing the particulars called for.

33. The Chief Engineer states that the Analyst at Bangalore does the analysis of water supplied to him from the reservoir at Bangalore and that this analysis is not the same as the one conducted at Nilgiris particularly where the analysis is being done from hour to hour and day to day at the spot. If the same sample is to be sent to Bangalore, time will be lost and that water would have flowed during the period. Hence a water

?

Water Analyst for Thippagondanahally Water Works.

File No. 2741

Continuation Sheet. Current No. of Page

Analyst. As the number is stated to be necessary

34. Sub with reference to para 30 of the notes.

B 35. As stated by the chief Engineer
21/12/43 the purpose of analysis at the spot
21/12/43 is to correct the quality of water im-
mediately any defect is found. The analysis
at Bangalore is to find out any Contamina
tion during transit. It is with this
view a regular establishment is maintained
at Thippagondanahally. Under the circums-
tances, the proposal of the chief Engineer to
have a regular analyst on a graded pay
of Rs 60-5-100 may be approved.

Secy) 27/12

36.

D.P.H. wpc.) Fair of views and the grades of the Water analysers in the Testing Lab.

31/12 31/12 31/12

5-6-0/43-46
Encl 1 file
26.1.46

Office of the Director of Public Health in Mysore, Bangalore, Dated 25-1-1946.

Retransmitted with compliments.

38. The training and the technical equipment that has been given to the present laboratory clerk, as he is called at present, is only as a technician in the language used in Europe and what is known in our laboratory as Laboratory Attendant. The proposal that researches had to be made at Thippagondanahalli to obtain the best methods of sedimentation and filteration and the behaviour of the lake observed in regard to the bacterial index in the various

Water Analysts for Thippagondanahally work...

2741

Serial No.

various seasons of the year and at varying depths, an officer of very much better equipment will have to be posted. It requires an expert Public Health analyst particularly in water Chemistry and Bacteriology and familiar with Public Health Engineering. He will also have to be associated with a Public Health Engineer if such researches have to be conducted. I am of opinion the designation laboratory clerk is very peculiar for one who is doing a laboratory attendant's work. The proper name would be either a Laboratory attendant or laboratory technician. In the Department of Public Health, there are ~~two~~ three grades of Laboratory attendants, junior on a pay of Rs.20-2-30, 30-2-40 and the Senior on a pay of Rs.30-3-60.

Director of Public Health.

39. C.P.I. Wfe.) Favr of views w/r/t the remarks supra. orders

Kw/29 1/46 8/29

1918 V

NO. 5328/E D 19/2/46

40. Mr. A. B. Thiruvengadam is actually working as Water Analyst since 1934 though he is designated as Laboratory Clerk. He is discharging his work very satisfactorily. It is not desirable to post an Officer from the Health Department now to attend to the works that is being done satisfactorily by Mr. Thiruvengadam as he has specilised himself for the work. A copy of further letter received from the Executive Engineer, Water Supply Division is also herein enclosed, wherein his case has been strongly supported and I agree with his

E—Contn. Sheet.

P.T.O

Water Analyst for Tippagondanahally Water Works

File No. 2741 V 3837 of 194 . | General and Revenue Secretariat

Serial No.

and I agree with his recommendation.

Secretary to Government,
Public Works Department,
with compliments.

9/12/46

Mr. Subb for perusal and orders on the Chief Engineer's proposal in para 26 of the notes

42. A representation dated 31.1.46 presented by Mr. A.P. Thiruvengadam to the Minister for P.W. 24/1/46

Secy 22/2/46 in this connection is put up.

Mr. Thiruvengadam Secy 23/2

A clerk on Rs 30 in grade 30-3-45 is asked to do the work of a water analyst at T. Nally. On this ground the C.E.I. recommended to him a grade pay of 50-4-70 in July 45 and this was not sanctioned, as the work by the clerk cannot be of the required standard, as he is not trained enough. C.E.I. is again pressing the same case, but now the grade proposed is still higher viz. Rs 60-5-100. There are two questions involved viz. (i) Whether an analyst of the type is necessary and if so the grade to be sanctioned (ii) Whether the present clerk is the proper person to be given the place if sanctioned. Considering the nature of the work involved & necessary to be done, the appointment of a Lab attendant is enough and one of the highest of the 3 grades mentioned by the D.P.H.

Water Analyst for Thippagondanahalli Water Works

General and Revenue Secretariat | File No. | of 194 . | [App. F. III-2

Serial No.

30-3-60 may perhaps be said. Reg (ii) The present clerk has only the qualification of a Lab[y] attendant and he may perhaps be given this grade instead of his present one of 30-3-45, starting him on his present pay in the new grade. The grade proposed by the C.E.-I is far too high for the qualification of the clerk as opined by the D. P. H, who was consulted

Min P.W
Sec.
Fin Sect.

KW 21/2/46 25/-

FINANCIAL U.O.No. FI ..... 5464 BANGALORE

~~Lecturer~~ Grade I which should not be revised for individuals — It is obvious from the records that the entire proposal is to revise the grade to benefit this special

B
4/3

KW 6/3/46 6/3

The proposal made by the C.E.-I. in his letter dated 25th April 1945 to revise the pay of the official from Rs 30-3-. to 50-4-70 is sanctioned.

FINANCIAL SECRETARIA U.O.No. FI ..... 5775 9/3 BANGALORE

NOTE—Contn. Sheet.

Fin Sect. Before issue. KW 9/3/46 B 9/3 — KW 7/3/46 B 11.3

KW 12/3/46 B Sec.

Wake Analysis for Shipping Indemnity Bombay Coasts.

File No.	of 194 .	General and Revenue Secretariat
		Serial No.

Subd with a draft GO

Secy) 19/3

16/3/46

Done

WM 3/46.

Fin Comm no 335-1- Civil Secy has seen orders.

Draft & fair subd

25/3

Done

25/3

Issued in WD ℘ 25 6242-44 22.3.46

to CEB

D. P. H.

Complete (Others)

GOVERNMENT OF MYSORE

OFFICE OF
the Chief Engineer of Mysore,
Public Works Department,
Bangalore.
Date 5th October 1942.

To

The Secretary to Government,
Public Works Department,
Bangalore.

1608
6/10/42

Sir,

Subject:- Revision of the grade pay of the post of the Water Analyst at Thippagondanahalli.

.....

I have the honour to state that the sanctioned scale of the C.R.S. Maintenance Sub Division, at Thippagondanahalli provides for a "Laboratory clerk" on Rs.30-3-45 and Mr. A.B. Tiruvengadam, who is dra ing a pay of Rs.45/- from 5-2-1939. is working against the above post Since 1934, this official, though designated as clerk, has been discharging the duties of the Water Analyst", in independent charge of t Laboratory at Thippagondanahalli. The Executive Engineer, Water Supp Division, has brought to notice that the work of the "Water Analyst" of a purely technical nature involving much responsibility. His wor is in no way similar to the work of a clerk of the Public Works Dep ment. Mr. Thiruvengadam has received University tranining in the C College for 3 years, and has undergone training in the Bacteriologi analysis in the Mysore Health Department. His work is reported to b entirely satisfactory. Considering the responsible and onerous na the work, he deserves to be placed in a higher grade.

2. I therefore request that sanction of Governmen accorded:-

(a) to the designation of the Laboratory Assistant", bein changed to that of a "Water Analyst" and

(b) to the existing grade of Rs.30-3-45, being revised to Rs.50-4-70, as a special case which he richly deserv

deserves.

3. A copy of the Executive Engineer's report dated 1-9-1942 is herewith enclosed.

I have the honour to be,
Sir,
Your most obedient servant,

5/10/42

Chief Engineer of Mysore.

Arc.3-10.

5/10

.....

Letter No.220 dated 1st September 1942 from the Executive Engineer, Water Supply Division, Bangalore to the Chief Engineer of Mysore, Bangalore

.....

Revising the grade pay of the Post of Water Analyst at Thippagondanahalli.

.....

With reference to your letter No.16519 dated 3rd June 1941, that the above question be renewed early in 1942-43, I have the honour to invite your kind reference to this office letter No.1062 dated 20th May 1941(copy enclosed for ready reference). The post of the Laboratory Clerk (Rs. 30-3-45) may kindly be converted to Technical Post on Rs.50-4-70. Early orders are solicited.

.....

" Copy "

Arc.30-3/10.

~~For~~ Chief Engineer of Mysore.

3/10

PUBLIC WORKS SECRETARIAT.

Draft for Approval.

No. P.W. 3291

Dated 3-11-1942

Encl.

FROM

The Secretary to Government,
Public Works Department,

To

The Chief Engineer
Hyderabad Bangalore

Sir,

Subject. Revision of the Pay
of Water Analyst at
Thippagondanahalli.

With reference to
your letter No. 6263 dated
5th October 1942, I have the
honour to request you
kindly to forward the
Service registers of Mr. A.B.
Thiruvengadam Laboratory
Clerk, Thippagondanahalli
Water Works.

Thanks

WD 01090—GPB—20,000—27-12-40

C. F. No. 46]

GOVERNMENT OF MYSORE

Tele gram / phone

OFFICE OF

The Chief Engineer of Mysore,

P. W. D.,

Bangalore.

No. 9868

Encls.

P. W. SECRETARIAT.
2718
Date 12/12/42

Date 10/12/42

To

The Secretary to Government,

Public Works Department,

Bangalore.

Sir,

With reference to your letter No.3291 dated 3-11-1942, I have the honour to forward herewith the Service Register of Mr.A.B.Thiruvengadam, Laboratory Clerk, for kind reference and return.

I have the honour to be,
Sir,
Your most obedient servant,

10/12/42

CHIEF ENGINEER OF MYSORE.

CRS/7/9.

2718
PW.

2718/PW.
2/1/43.

The Sanctioned scale of establishment (both executive and office) for the Thippagondanahalli waterworks may be kindly intimated very early.

Manager.
Chief Engineer's
Office, hyd

R 2/1/43

OFFICE OF THE CHIEF ENGINEER OF MYSORE
REC'D 10880
DATE 3/1/43
P. W. SECRETARIAT.
Date 13/1/43 C
3/1/43
3699

Attava
pwd
7/1

7/1

Secy
pw
11/1

11926/file 12-1-43

Reed
26/12/43

The file sanctioning the establishment of the Thippagondanahalli Sub-Division, is hereunto enclosed, for reference and kind return.

Asst Secretary
pw D
rwe

civil
12-1-43

Secy
11/1

67
11/1

R 13/1
13/1

G. R. S. App. F VI—G 2]

SUBJECT .....

..... 9

.....

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

the *193* .

Date of issue..... .....193 .

Signed by .....

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette. Kannada Part ?

Section.

File No.

Serial No.

Proceedings of the ***Government*** *of His Highness the* ***Maharaja*** *of Mysore.*

P. W. Department.

Read— Letter no. 6263 & 5th October 42 from the Chief Engineer of Mysore, requesting sanction to change the designation of Rs. A. B. Thiruvengadam, Laboratory clerk, Thippagondanahalli, to "water Analyst" and to raise his grade pay from Rs 30-3-45 to Rs 50-4-70, as a special case, for reasons therein given.

Order thereon.—No.

Order Revised P.W. 6187-88 dt 2/3/1943

Government direct that Rs. A. B. Thiruvengada

Laboratory Clerk, be granted
a personal allowance of
Rs 5/- (Rupees five) per
mensem with effect from
the 16th February 1943.

9/2
11/3/43
Secy to Govt
27/2 Offg Secy

To

The Camp Executive Officer Mysore
returning his office file
and the Service register

The Comptroller of Mysore
(Accts Branch)

Endn B/12
26/2/43

List of Enclosure

Copied by

Examined by

WD 0523—GPB—22,500—22-3-37

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Public Works Department

Read :—

Letter No.6263 dated 5th October 1942 from the Chief Engineer of Mysore, requesting sanction to change the designation of Mr.A.B.Thiruvengadam, Laboratory Clerk, Thippagondanahalli to "Water Analyst" and to raise his grade pay from Rs.30-3-45 to Rs.50-4-70, as a special case, for reasons therein given.

Order thereon P.W. 6187-88 dated, Bangalore, 2nd March 1943.

Government direct that Mr.A.B.Thiruvengadam, Laboratory Clerk, be granted a personal allowance of Rs.5/-(rupees five) per mensem with effect from the 16th February 1943.

Secretary to Government,
Public Works Department.

To

The Chief Engineer of Mysore, returning his office file and the service register.

The Comptroller of Mysore (through the Financial Secretariat).

TSRM.

GOVERNMENT OF MYSORE.

P. W. SECRETARIAT.
4592
27.4.45

OFFICE OF
THE CHIEF ENGINEER FOR IRRIGATION
IN MYSORE, BANGALORE.

Dated 25th April 1945

No. 6936/E.
S. 2
26/4

MEMO.

To
The Secretary to Government,
Public Works Department,
Bangalore.

Mr. A.B. Tiruvengadam, Laboratory Clerk,
Thippagondanahally.

Sir,

With reference to G.O.No.P.W.6187-88 dated 2nd March 1943, granting a personal allowance of Rs 5/- per mensem to the above mentioned Clerk with effect from 16-2-1943, I have the honour to forward herewith for favourable consideration application of Mr. A.B. Tiruvengadam, Laboratory Clerk, praying that (1) the pay of the post be revised from Rs 30-3-45 to Rs 50-4-70 and (2) the designation of the appointment from Laboratory Clerk to "Water Analyst".

2. Though this official is designated as Laboratory Clerk, he is actually discharging the duties of a Water Analyst independently from the year 1934. He was specially deputed to undergo training as Bacteriological Analyst in the Public Health Institute for a period of 8 months. As regards his general qualification he has completed the B.A. Degree Course. He is discharging the duties of Water Analyst independently without any complaint. The successive Executive Engineers under whom this official has served have strongly recommended that the prayer of the applicant may be considered favourably. The present Executive Engineer has also strongly recommended in his letter No.635/E dated 13-12-1944 (copy enclosed) that the case of the applicant deserves -

favourable consideration. If a new hand is to be appointed it may not be possible to get one hand for less than a pay of Rs 100/-.

3. Under the above circumstances, sanction of Government to revised the pay of the post from Rs 30-3-45 to Rs 50-4-70 with the change of designation from Laboratory Clerk to Water Analyst may kindly be obtained and communicated as a special case.

I have the honour to be
Sir,
Your most obedient servant,

CHIEF ENGINEER FOR IRRIGATION.

SS.24/4.

Letter No.635/E dated 12/13th December 1944 from the Executive Engineer, Water Supply Division, Bangalore, to the Chief Engineer for Irrigation in Mysore, Bangalore.

The post of Water Analyst at Thippagondanahally and the merits of the Laboratory Clerk Mr. A.B. Thiruvengadam for the same.

- - - -

In enclosing herewith, thepetition of Mr. A. B. Thiruvengadam dated 27-11-1944, I have the honour to invite your kind reference to your letter No.555/E dated 1-8-1944 and to submit the following report, inviting also your kind and special reference to this office - letter No.360 dated 14-9-1943 and No.10/E of 5th July 1944 once again.

Mr. Thiruvengadam became a Clerk in grade Rs 30-3-45 in the year 1932 and reached the maximum of Rs 45/- on 5-2-1939. Even if he had not received this special training in Bacteriological studeies of water he would have by this time probably become a Head Clerk in grade 50-4-70; as such it is submitted that in spite of the special training and special kind of work including - Research in studies of water for filteration and chlorination etc., He was not given any promotion until 2nd March 1943; then too only a fixed P.A. of Rs 5/- has been granted against a recommendation which is being persistently submitted for changing the designation of Laborator Clerk to that of a Water Analyst including a new grade on s 50-4-70. This latter grade is nothing more than that of a Head Clerk which Mr. Thiruvengadam would have perhaps reached before now. I beg to submit once again the grant of personal allowance of Rs 5/- against the recommendation of a new grade hasnot helped this most deserving

The duties and responsibilities of the Water Analyst at Thippagondanahally are increasing every day as you are already kindly aware. Even in the very near future the methods of treatment as well as the operation at Chamarajsagar are going to increase considerably. The advantages of having a trained Analyst of the type of Mr. A.B.Thiruvengadam are very great to the Department. I once again pray that his claims may kindly be considered to change the designation to a Water Analyst on Rs 50-4-70 under the circumstances which have already been detailed in the two references, quoted above.

If this course of action is not possible, then the chances of his being made as the Head Clerk in grade Rs 50-4-70 and reversion to Public Works Department may kindly be considered, if it is not possible to make him an Operator in the cadre of Operators of the Pumping Establishment of the State.

- - - - -

* COPY *

CHIEF ENGINEER FOR IRRIGATION.

SS.24/4.

To,

The Chief Engineer for Irrigation, in Mysore,

B A N G A L O R E.

Through,

The proper channel.

Sir,

I beg to bring the following for your kind consideration and favourable orders.

The Executive Engineer Water Supply Division, in submitting his recommendation for the revision of my scale of pay and to change my designation vide, his letter No.10/Enc.1. dated 4/5th, July 1944 (copy enclosed herein) has been kind enough to submit my application asking for a promotion to a higher grade in any one of the technical cadres of the department, in case the revision of my scale of pay is delayed.

At present, there are two vacancies in the technical cadres of the department, viz., the post of the "Chemist" in the Bureau of Sanitary Engineering in grade 60-5-100, and the other in the "Operater's" cadre in grade 60-5/2-90, of the pumping establishment. Hence I once again reiterate my request to absorb me in any one of the two vacancies in absence of the revision of my scale of pay.

With reference to the endorsement issued vide, your No.555/E dated 1-8-1944 stating that "It is too early to approach Government in the matter " I may be permitted to bring ~~to bring~~ to your kind notice that I have been drawing the personal allowance of Rs.5/- for the last one year and nine months. Hence my request for improvement of my salary be sympathetically considered.

Further, The Executive Engineer has been kind enough to mention about my ability to discharge my duties as an operater in the Pump and Filter plants in his letter enclosed herein

As regards my capacity to discharge my duties as a Chemist in the Bureau of Sanitary Engineering, I invite to your No.11284 dated 8th May 1933 for the training given to me as "Bacteriological Analyst" in the Health department. Ever since February 1934 I have been in independent charge of the Laboratary at Chamarajasagar and water works and I have been discharging my duties to the entire satisfaction of my superiors.

The graded pay of the Chemist is 60-5-100, and is thus the next higher grade to that of the Laboratary clerk on Rs.45/- plus Rs5/- P.A. in the field of water analysis in the department. If the Chemist is directly recruited as announced in the C.R.B. notification No.2169 P.S.C. dated 21-11-44 Sl No.618, overlooking the claims of the Laboratary Clerk or the Water Analyst of the Water supply division, the observation made by the Executive Engineer not to overlook the claims of the Operators serving on a salary of below Rs.60/- holds good in the case of the Laboratory Clerk also. Having been trained by the department as an water analyst for over ten years I request you once again to transfer me to the Bureau of Sanitary Engineering in grade Rs.60-5-100.

Here I wish to invite to the circumstances under which I was compelled to discontinue my studies in the final Year B.A., class due to sudden demise of my father on 17th July 1930 while still in service. As I happened to be the eldest son of the bereaved family of eight children and their mother, I was compelled to join service to earn my bread and to the family. My father late Mr.A.V.Bacha Mudaliar, Sub-overseer served in the Public Works Department for over 29 years and I have already served over 12 years in the department. Further I have put in full term in the B.A. degree class. In view of the above circumstances the condition that the Chemist should be a degree holder may kindly be waived in my case as a special case since all the B.Sc., and B.A. candidates before they take up work in the Bureau of Sanitary Engineering have to undergo training in the Public Health Institute in Water Analysis similar to the training given to me by the department ten years ago.

If it is still found inconvenient to promote me and transfer me to the Bureau of Sanitary Engineering, I may atleast be absorbed in the Operator's cadre in grade Rs.60-5/2-90 in the existing vacancy or my grade may kindly be revised to Rs.60-5-100 as given in the Bureau of Sanitary Engineering treating both the places as equal sub-ordinate places of the department.

For which act of kindness I shall ever be greatful.

Nippagondanahally
Dated 27th Novr 44

I beg to remain
sir

P.T.O.

I beg to remain
Sir
Your most obedient servant

A. W. Thiruvengadam
27/11

Laboratory Clerk

PUBLIC WORKS SECRETARIAT.

Draft for approval

No. PN. 6753

Dated 29-5-1945

Enc.

FROM

The Secretary to Government, P. W. D.

To

The Chief Engineer, Irrigation,
Bangalore

Subject Mr. A. B. Trivengadam -
Laboratory Clerk at
Mirsiyagondanahally.

Sir,

With reference to your
letter No. 6936/E dated 26/4/1945
on the above subject I have
the honour to request you
kindly to intimate whether
a water analyst is necessary
at the reservoir site at
Mirsiyagondanahally and if
so why a ~~regular~~ post

of ~~the~~ regular analyst has not been proposed. ~~recommended for~~ ~~sanction~~. Why a clerk is required to do the work of an analyst may also be kindly ~~the~~ ~~ex~~plained.

Sd/-

Fin 25/5/41

Secy to Govt.

P-W-Deptt

24/5/41

Secy/24/5/41

No. 178/2

No.

MYSORE PUBLIC WORKS DEPARTMENT,
Central Office, Irrigation,
Bangalore, Dated, the June 1945.
9 10-7-1945

To
The Secretary to Government,
Public Works Department,
Bangalore.

Mr. A. B. Tiruvengadam, Laboratory Clerk, at Thippagondanahally.

Sir,

With reference to your letter No. P. W. 6758 dated the 29th May 1945, I have the honour to state as follo.

1. The services of the Water Analyst at Thippagondanahally are of vital importance and therefore very necessary and his responsibilities are increasing every day as it is quite clear from the methods of treatment as well as the operation at Chamarajsagar which are considerably increasing and the advantages of the - - Analyst are very great particularly in respect of - - economising the use of alum and other chemicals.

2. To keep the cost and to minimise the expenditure the post was continued as such hitherto, and it is now considered very necessary to have an Analyst who, though a Clerk, has fully qualified himself for the post.

3. A copy of letter No. 635/E dated 12/13th December 1944 of the Executive Engineer, Water Supply Division, already submitted, furnishes in detail a complete report in the matter.

4. In these circumstances, sanction of Government to revise the pay of the post to Rs 50-4-70 with the

No. 1818/5

change of designation to Water Analyst may kindly be communicated.

I have the honour to be
Sir,
Your most obedient servant,

CHIEF ENGINEER FOR IRRIGATION.

SS. 25/6.

14

Deposit No 20 in 6

Appendix F. G.—1]

SUBJECT Mr. A. B. Tiruvengadam - Laboratory Clerk at Mippagondanahally.

Section E3/-

File No. 20-45

Serial No. 1

Diary No. of letter replied to.....

No. PW. 337 dt 18.7.45

To

General and Revenue Secretariat

( )

the 194 .

The Chief Engineer for Irrigation

Bangalore

Date of issue.....

Signed by.....

Sir,

With reference to Correspondence ending with your letter No. 178/E dated 10-7-1945 requesting sanction to ~~the appointment~~ revise the pay of Mr. A.B. Tiruvengadam, ~~Water Analyst~~ Laboratory Clerk from Rs 30-3-45 to Rs 50-4-75 ~~as Water Analyst etc.~~, I am directed to request you to kindly forward proposals, in the first instance, for the creation of a post of Water Analyst at Mippagondanahally, as there is no such sanctioned post, ~~at present~~

List of enclosures.....

Copied by.....

Examined by.....

Dep

at present.

I am to add that the question of appointment of Mr. Viswanadam as Water Analyst will be considered later.

D Hess

for I.G.W.

Secy to Govt

P.W. Dept

8
15.7.45.
Secretariat
16/7/45

Bnst 20-45-2

C. F. No. 45]

P. W. SECRETARIAT.
1735
Date 22.10.45

GOVERNMENT OF MYSORE

Tele gram / phone

OFFICE OF The Chief Engineer for Irrigation,
Camp-Mysore,

No. 2339/E
Encls. 1 Copy of letter
1 Statement

Date 19-10-45.

To

The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Water Analyst for Thippagondanahalli Water Works.

With reference to your letter No.P.W.337/Est. 20-45-1 dated 18-7-1945, calling for proposals for the creation of a post of Water Analyst at Thippagondanahally, I have the honour to forward herewith a copy of letter No.413/E dated 1-10-1945 from the Executive Engineer, Water Supply Division, explaining the necessity for the creation of a post of water Analyst at Thippagondanahalli. As there was an urgent necessity for a water Analyst at Thippagondanahally, one of the clerks attached to the Water Supply Division was deputed to undergo training as "Bacteriological Analyst" for a period of 8 months in the Public Health Institute, Bangalore. Though this official is designated as clerk, he is doing the duty of water - Analyst from the year 1934.

2. Under the circumstances explained by the Executive Engineer, Water Supply Division, sanction of Government for the creation of a post of Water Analyst in the grade 60-5-100 may kindly be obtained and communicated.

3. The extra cost involved will be only Rs.33½ per mensem as per proposition statement enclosed.

I have the honour to be,
Sir,
Your most obedient servant,

GCS/19th.

Chief Engineer for Irrigation.

Letter No.413 dated 1-10-1945 from theExecutive Engineer, Water Supply Division, Bangalore, to the Chief Engineer for Irrigation in Mysore, Bangalore.

Re:- Analyst at Thippagondanahalli.

With reference to your Memo No.962/E dated 10-8-1945 calling for a propositions tatement,I have the honour to submit the same for kind reference and orders.

2 I wish again to invite reference to theprevious reference No.635 dated 13-12-44 in which the necessity of the appointment and also regarding the advisibility of promoting Mr.A.B.Thiruvengadam to that place have been duly reported.

3. The duties and responsibilities of the water Analyst at Thippagondanahalli are increasing every day with the increase of filters and duplication work, the methods of treatment as well as the operation at Chamarajasagar will be on the increase. The advantages of having a trained Analyst of the type of Mr.A.B. Thiruvengadam is very great. Researches have to be made with his help to obtain best methods of Sedimentaion and Filtration and behaviour of the Lake in regard to the Bacterial index in various seasons of the year and at varying depths etc. He is eminently qualified to do such worksand has to be given the same pay and grade at least as avail inthe Department of Public Health for - Bacteriological Analysts. Hence the proposition statement is got up on these lines.

4. In this connection, it has been already reported that Brigadier Harris, the Chief Officer for Healthof Army in India, who visited Chamarajasagar Station observed that the pay of such good well trained analysts as in Chamarajasagar station must be enhanced, since in his stations the very minimum which was in vogue was Rs.125/- per mensem.

5. Hence the present proposal cannot be regarded as in any way either un-deserved of extra-vagant.

6. I once again pray that the post of water Analyst may kindly be got sanctioned and Mr.A.B.Thiruvengadam absorbed in that place.

"COPY"

For Chief Engineer for Irrigation.

Statement of proposition for Revision of Establishment.

Name of Office to which the proposition relates.

Nature of Charge XXX Chamarajagagar & Water Works, New, Nett Receipts.

No.	Designation.	Present scale pay. Minimum.	Rate of increase annual.	Maximum.	Average cost.	Allowance	Total.	No.	Designation.	Proposed scale. Minimum.	Rate of increment Annual.	Maximum.	Average cost.
1	Laboratory Clerk.	30.	3.	45.	41½.	5.	46½	1.	Water Analyst.	60.	5.	100.	80.

Plus ~~Akk~~ Rs.5/- Allowance given Government Order No.P.W.6187-88 dated 2-3-43.

80-46½ per = 33¾ per mensem.

Proposition.

Permanent. Increase per month. Amount.	Permanent. Decrease per month. Amount.	Temporary. Increase per month. Amount.	Temporary. Increase per month. Period.	Temporary. Decrease per month. Amount.	Temporary. Decrease per month. Period.
Rs. 33¾.					

GCS/10th.

Chief Engineer for Irrigation.

1765

17

Appendix F. G.—1]

SUBJECT Water Analysis for Nilapagondanahalli Water works.

Section Govt

File No. 20-45

Serial No. 3

Diary No. of letter replied to.....

No. DW 3712 of 15.11.45.

To

General and Revenue Secretariat

( )

the 194 .

The Chief Engineer for Irrigation
Bangalore

Date of issue.....

Sir,

Signed by.....

With reference to your letter No 2339/E dated 19-10-1945 on the above subject I am directed to request you kindly to intimate if water analysis is not being done at the ~~Bangalore~~ Bacteriological Institute laboratory under the guidance of the D.P.H. and if not, whether it would not be more desirable to do so, as the laboratory has a full equipment and expert technical advice, particularly on the bacteriological side.

List of enclosures.....

4/5 Pc

Copied by.....

13/11

Examined by.....

WD 04161—GPB—60,000—24-10-41

Ack 10/11

Seen to Govt
P.W. Secy

9/11/45.

Govt 20-45-(

No. 3747/E

OFFICE OF THE CHIEF ENGINEER
FOR IRRIGATION, BANGALORE.

18-12-45

To

The Secretary to Government,
Public Works Department,
Bangalore.

P. W. SECRETARIAT.
2741
20-12-45
Date.....

Water Analyst for Thippagondanahally Water Works.

Sir,

With reference to your letter No. P.W. 3712/Est. 20-45-3 dated 15-11-1945, enquiring if Water Analysis is not being done at the Laboratory of the Bacteriological Institute, under the guidance of the Director of Public Health, I have the honour to state that the Analysis of water done at Bangalore at the Laboratory is not the same as the one conducted at source. Water from the filters is taken and analised from hour to hour and day to day at the spot.

2. The Analyst attached to the Laboratory does the analysis of the water that is supplied to Bangalore City from the Reservoir at Bangalore and from the street mains and sub-mains to know whether any contamination has occurred during transit. Hence the analysis done by the Analyst at Thippagondanahalli is different. If the sample is to be sent to Bangalore ~~a lot of~~ time will be lost and bad water will have flown during the period. Therefore analysis at the source was introduced and has to be kept up. Hence recommendation already made may kindly be sanctioned very early.

I have the honour to be,
Sir,
Your most obedient servant,

GCS/15th.

CHIEF ENGINEER FOR IRRIGATION.

Letter No. 1027 dated 11-2-1946 from the Executive Engineer, Water Supply Division, Bangalore, to the Chief Engineer for Irrigation in Mysore, Bangalore.

Re:- The pay of the Bacteriological Analyst at Chamarajasagar Water Works Station.

I have the honour to invite your reference to this office No. 413 dated 1-10-1945 and to submit that the Minister, Public Works Departmen who inspected the C.R.S. Station on 29-1-1946 saw the Bacteriological Laboratory and the good work being done by Mr. A.B. Thiruvengadam Mudalia who is only a clerk though doing such important and scientific work of great usefullness for the Water Supply of Bangalore. I once again recommend that he may be granted the same pay and grade as his brother Analyst, in the Sanitary Bureau is drawing namely Rs. 60-5-100.

It was his great misfortune that he lost his father when he was in the Senior B.A. Class and had to discontinue his studies. He comes from the famous family of Arumugam Mudaliars who have rendered valuable services to Mysore and by himself he is a man of excellent character and deserves this encouragement.

"COPY"

GCS/18th.

CHIEF ENGINEER FOR IRRIGATION.

P. W. SECRETARIAT.
3839 2/2/46

Personal representation of Mr. A.B. Thiruvengadam, working as Water Analyst, at Chamraja Sagar and Water Works, Thippagoundanahalli to the Minister of Public Works Department, Mysore.

Sir,

In continuation of my representation made to you during the inspection of the Water Works, Laboratory at Chamraja Sagar and Water Works on the 29th instant and in view of the recommendations made to you by the Executive Engineer, Water Supply Division, about me during the inspection, I beg to submit the following to your sympathetic and kind consideration and early orders:-

Soon after the Water Works was started in March 1938 the necessity for an Water Analyst to supervise the chemicals dosage such as alum, lime and chlorine and to watch the purification process of water at various stages in the plant was felt and I was deputed by the Chief Engineer to the Health Department in May 1943 to undergo training as a Water Analyst.

After completion of the training I was asked to start the water works laboratory, the only Laboratory of its kind in Public works Department in February 1934. Since then, I have discharged my duties to the entire satisfaction of my superiors as is evident from the recommendations made to Government from time to time.

I am drawing a salary of Rs.50/- for the past 3 years and I am stnagating without a higher grade.

Even though I have been trained by the P.W.Department as Water Analyst, neither my designation nor the scale of pay has been revised in keeping with the technical nature of my work. I am a failed Science B.A. of the Central College, Bangalore. Even now the Chief Engineer has submitted to Government to sanction a place of Water Analyst in grade Rs.60-5-100 at Chamarajasagar and Water Works, with the object of giving the place to me, and the paper is with the Secretary, P.W. Department and my representation submitted to the Chief Engineer in November 1944 is still pending in his office as he is awaiting order of Government on his recommendation for the Water analyst's place at Thippagoundanahalli, and a copy of my representation is enclosed for your kind perusal.

Re: the nature of work turned out by me are:-

OFFICE OF THE MINISTER FOR PUBLIC W...
2 FEB ...
P.854

1) Regulation of Chemical dosage viz:

a)	Alum -	200 tons a year.
b)	Chlorine	4 Tons a year.
c)	Lime	40 Tons a year.

2) Water Analysis and maintenance of standard of purity of water:-

(a) Bacteariological Analysis of water from the public health point of view maintain purity of water so as to prevent epedimics.

(b) Physical & chemical analysis from the point of view of treatment to maintain a uniform standard of purity observing the various process of purification by keeping a constant watch on various process of purification.

The above duties I have discharged to the entire satisfaction of my superiors ever since February 1934 but still I have not been given a Technical scale of pay nor have I been absorbed in any one of the technical subordinate cadres of the public works department.

the public works department

The above duties I have discharged to the entire satisfaction of my superiors ever since February 1934 but still I have not been given technical scale of pay nor have I been accorded in any one of the technical subordinate cadres of

(b) Physical & chemical analysis from the point of view of treatment to maintain uniform standard of purity by observing the various process of purification & keeping a constant watch on various process of purification.

(c) Bacteriological analysis of water from the public health point of view & maintain purity of water so as to prevent epidemics.

Water Analysis and maintenance of standard of purity of water:-

(a) Alum - 200 tons a year.
(b) Chlorine - 6 tonnes a year.
(c) Lime - 60 tons a year.

Average consumption of chemicals used out by me are:-

Application of chemicals dosage via:

a) Alum	200 tons a year.
b) Chlorine	6 tonnes a year.
c) Lime	60 tons a year.

Water Analysis and maintenance of standard of purity of water:-

(a) Bacteriological analysis of water from the public health point of view & maintain purity of water so as to prevent epidemics.

(b) Physical & chemical analysis from the point of view of treatment to maintain uniform standard of purity by observing the various process of purification & keeping a constant watch on various process of purification.

The above duties I have discharged to the entire satisfaction of my superiors ever since February 1934 but still I have not been given technical scale of pay nor have I been accorded in any one of the technical subordinate cadres of the public works department

Thanking you in anticipation of favourable consideration of my case.

I am,
Sir,
Your most obedient servant,
(P. B. Thipperudrappa)
Water Analyst,
Public Works Department,
Bangalore.

To
The Chief Engineer & Secretary to Government,
Public Works Department,
Bangalore.

Sir,

I have the honour to submit herewith my application for the post of Water Analyst, Municipal Corporation of Bangalore, which has been received in the Secretariat on the 27th instant.

Even though I have been trained by the Municipal Corporation of Bangalore and Government of Mysore to the post of Water Analyst and have been working in that capacity for the last 3 years, I have not been given the scale of pay of Rs. 150-5-200 which is enjoyed by the Water Analysts in the Municipalities of Bangalore, Mysore, Kolar Gold Fields, Shimoga, Tumkur, Chitaldrug, Davangere, Harihar, Bellary, Hubli, Dharwar, Belgaum, Gokak, Bijapur, Gulbarga, Raichur, Gadag, Hospet, Kolar, Chikballapur, Chintamani, Mulbagal, Malur, Kolar Gold Fields, Oorgaum, Robertsonpet, Mysore, Chamarajanagar, Nanjangud, Hunsur, Krishnarajanagar, Mandya, Maddur, Channapatna, Ramanagaram, Kanakapura, Chikmagalur, Kadur, Tarikere, Sringeri, Hassan, Arsikere, Channarayapatna, Belur, Mangalore, Puttur, Udupi, Karkal, Kundapur, Bhatkal, Sirsi, Honnavar, Karwar, Gokarn, Ankola, Kumta, Haliyal, Yellapur, Supa, Sirsi, Siddapur

From your inspection of the Laboratory on the 29th inst. it must now have been clear to you that the nature of my work differs from that of a Clerk and ~~with~~ my humble request to give me a ~~an~~ technical scale of pay as Water Analyst ~~and~~ as recommended by the Chief Engineer to the Government is quite reasonable after a faithful service of over 10 years served by me in thePremier Filter Plant of the State and to the Premier City of the State.

In view of the above, I humbly pray you to give me a suitable higher grade as requested in my application as early as possible since the matter has been delayed pretty long.

For which act of kindness, I shall ever be grateful.

I beg to remain,
Sir,
Your most obedient servant,

Bangalore, (
31-1-1946)

A C Thiruvengadam
Laboratory Clerk.

From your inspection of the laboratory on June 11th
it must have been clear to you the true nature of my
duties from that of a clerk etc. My humble request to
give me a technical position of [illegible] a year analyst
recommended by the Chief Engineer to the Government is quite
reasonable after a faithful service of over 20 years served
by me in the Premier Cider Factory at the direction of the
Premier Cider of the Cape.

In view of the above I humbly pray you to give me a
suitable minor grade as requested in my application & early
possible since the matter has been overdue [illegible]

for which act of kindness I shall ever be grateful.

I beg to remain,
Sir,
Your most obedient servant,

Laboratory Clerk.

31-I-1916
Banghore.

To,

The Chief Engineer for Irrigation, in Mysore,
B A N G A L O R E .

Through
The Proper channel,

S i r,

I beg to bring the following for your kind consideration and favourable orders.

The Executive Engineer Water Supply Division, in submitting his recommendationfor the revision of my scale of pay and to change mydesignation vide his letter No.10/encl = dated4/5 th July 1944(copy enclosed herewith) has been kind enough to submit my application asking for a promotion to a higher grade in any one of the technical cadres of the Department, in case the revision of my scale of pay is delayed.

At present there are two vacancies in the Technical cadres of the Department, viz, the post of the chemist in the Bureauof Sanitary Engineering in grade 60-5-100, and the other in the Operator's Cadre in grade 60-5/2-90, of the Pumping establishment. Hence I once again reiterate my request to absorb me in any one of the two vacancies in absence of the revision of my scale of pay. Wi

With reference to the endorsement issued, vide your No.55/E dated 1-8-'44.stating that it is too early to approach Government in the matter, I may be permitted to bring to your kind notice that I have been drawing the personal allowance of Rupees Five for the last one year and nine months. Hence my request for improvement of my salary be sympathetically considered.

Further the Executive Engineer, has been kind enough to mention about my ability to discharge my duties as an Operator in the Pump and Filter Plants in his letter enclosed herewith.

As regards my capacity to discharge my duties as a chemist in the Bureau of Sanitary Engineering, I invite to your No.11284.dated 8th May '33 For the training given to me as Bacteriological Analyst in the Health Department. Ever since February 1934. I have been in independent charge of the Laboratory at Chamarajasagar and Water Works, and I have been discharging my duties to the entire satisfaction of my superiors.

The graded pay of the chemist is 60-5-100. and is thus the next higher gradeto that of the Laboratory clerkon Rs 45/-plus Rs 5.P.A. in the field of = Water Analysis in the Department. If the chemist is directly recruited as announced in the C.H.E.notification.No.2169.P.S.C. dated 21-11-'44.Sl.No.61 overlooking the claims of the Laboratory clerk or the Water Analyst of the Water Supply Division, the observation made by the Executive Engineer, not to overlook the claims of the Operators serving on a salary below Rs 60.holds good in the case of the Laboratory clerk also. Having been trained by the Department as an Water Analyst for over ten years I request you once again to transfer me to the BUREAU of Sanitary Engineering in grade Rs 60-5-100.

Here I wish to invite the circumstances under which I was compelled to discontinue my studies in the Final year B.A., class due to sudden demise of my father on the 17th July 1930.while still in service.As I happened to be the eldest son of the bereaved family of eight children and their mother, I was compelled to join service tolearn my bread and to the family. My father late Mr.A.V.Bacha Mudaliar, Sub Overseer, served in the Public Works Departmer for over 20 years, and I have already served over twelve years in the Department.Further I have put in full term in the B.A.degree class. In view of the above circumstances the condition that the chemist should be a degree holder may kindly be waived in my case as a special case since all the B.Sc.and B.A candidates before they take up work in the Bureau of Sanitary Engineering have to undergo training in the Public Health Institute in Water Analysis similar to the training given to me by the Department ten years ago.

If it is still found inconvenient to promote me and transfer me to the Bureau of Sanitary Engineering, I may at least be absorbed in the Operators cadre in grade Rs 60-5/2-90, in the existing vacancy or my grade may kindly be revised to Rs 60-5-100.as given in the Bureau of Sanitary Engineering treating both the places as equal subordinate places of the Department.

For which act of kindness I shall ever be grateful.

Thippagondanahally.
Dated 27-11-1944.

C O P Y.

I Beg to remain
Sir,
Your most Obedient Servant
Sd/ A.B.Thiruvengadam.
(Laboratory Clerk.)

A B Thiruvengadam
Lab-clerk 30/1.

Dated 4/5 July 1944

Copy of letter No.10.../from the Executive Engineer, W.S.D. to the Chief Engineer for Irrigation in Mysore.

In submitting herewith the application of Mr. A.B.Thiruvengadom, Laboratory clerk, Thippagondanahally, for a place in Operators cadre in grade 60-5/2-90., I have the honour to submit herewith the following report, inviting your kind reference to this office special letter in No.360.dated 14/9/43 requesting you to consider the possibility as well as the necessity of converting the post of the Laboratory clerk into that of a Bacteriological Analyst to Chamarajasagar and Water Works Thippagondanahally, the present request of Mr. A.B.Thiruvengadom though quite deserving and also fit in view of the fact that he has oftentimes done shift duty in the absence of others in the Filter House as well as occassionally at the Pump house yet it is ultra-vires to recommend the post of the operator to him because there are already many operators in the state serving on salaries below Rs.60/ whose claims cannot be overlooked, that neither is it reasonable to appoint him as an operator on Rs 35/seing that he is drawing Rs 45/-plus five as Laboratory clerk since March 1943. The detailed letter No. 360. of 14th Sept '43. clearly explains the necessity to convert the Post of the Laboratory clerk into that of an Analyst. It also shows the attainment of Mr. A.B.Thiruvengadom to get the post on a Salary of Rs 54/ I wish to reiterate the same demand once again and request the favour of obtaining Government sanction at the earliest possible to change the post accordingly and confer it with the monthly salary of Rs 54/-in grade of 50-4-70..

C O P Y .

A.B.Thiruvengadom
Lab. Clerk 3/7.

U.O. Febe. 2c: Revision of the grades pay of the post of the water analyst at Thippagondanahalli

C.S.= 6.0/4.8.46
Encl 1 file
2.8.46

Retransmitted with compliments.

The training and the technical equipment that has been given to the present laboratory clerk, as he is called at present, is only as a technician in the language used in Europe and what is known @@ in our laboratory as Laboratory Attendant. The proposal that researches had to be made at Thippagondanahalli to obtain the best methods of sedimentation and filtration and the behaviour of the lake observed in regard to the bacterial index in the various seasons of the year @@@@@ and at varying depths, an officer of very much better equipment will have to be posted. It requires an expert ~~who is both a~~ Public Health analyst particularly in water ~~analysis in~~ Chemistry and Bacteriology and ~~in addition have knowledge in~~ / auxiliary subjects Public Health Engineering and ~~who~~ the will also have to be associated with a Public Health Engineering if such researches have to be conducted. I am of opinion ~~the~~ / ~~laboratory~~ clerk is very peculiar for one who is doing a laboratory attendant's work. The proper name would be either a Laboratory attendant or laboratory technician. In the Department of Public Health, there are two grades of Laboratory attendants, junior on a pay of Rs 20-1-30 and the senior on a pay of Rs 30-2-40 and 30-3-60

24/8/46

Director of Public Health.

G. R. S. App. F VI—G 2]

SUBJECT ..... Water Analyst - Nippagudemalli Godavari Dist

Diary No. of letter replied to .....

General and Revenue Secretariat

( )

the *194* .

Date of issue 22.3.46 194

Signed by ..... Mr. B.R.R.

May this be—

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette, English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette, Kannada Part ?

Section Govt.

File No. 25-45

Serial No. 5

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read— G.O. No. PW 6187-88 dated 2-3-1943 directing that Mr. A.B. Viswanadam, Laboratory Clerk/ Nippagudemalli, be granted a personal allowance of Rs 5/- p.m. on Rs 30-3-45 with effect from 16-2-1943.

2. Letter No. 6936/E dated 25-4-1945 from the Chief Engr for Irrigation, recommending, ~~the circumstances stated~~, that the scale of pay of the Laboratory Clerk at Nippagudemalli may be revised from Rs 30-3-45 to Rs 50-4-70 and that the designation of the Laboratory Clerk may be changed to Water Analyst

Order thereon—No.

2. Correspondence ending with letter

Un-official note No. C.48-60/45-46

dated 26-1-1946 from the Director of P.H.

on the subject.

4. Correspondence ending with memo

No. S-328/C dated 19-2-1946 from the

Chief Engineer for Irrigation, forwarding

proposals for the creation of a post

of Water Analyst in grade 60-5-100. at Nilgiri Propaganda Unit,

Vide them No. PW 6242-44 dated 22.3.

Govt. are pleased to sanction the

proposal of the Chief Engineer contained

in his letter dated 25-4-1945 to

revise the scale of pay of the Laboratory clerk of the

at Nilgiri Propaganda Unit from Rs. 30-3-45

to Rs. 50-4-70 with effect from the date of assumption. 2-5-1946. / As approved.

Secy to Govt

PW dept

To

The CE for Irrigation.

The DL &

The Compiler thro' H Secy

Copies of Enclosures

Examined by

16/3/46.

16.3.46